USP 24

THE UNITED STATES PHARMACOPEIA

NF 19

THE NATIONAL FORMULARY

By authority of the United States Pharmacopeial Convention, Inc., meeting at Washington, D.C., March 9-12, 1995, Prepared by the Committee of Revision and published by the Board of Trustees

Official from January 1, 2000

UNITED STATES PHARMACOPHIAL CONVENTION, INC 12601 Twinbrook Parkway, Rockville, MD - 20852

DESCRIPTION AND SOLUBILITY

Description and Relative Solubility of USP and NF Articles

The "description" and "solubility" statements pertaining to an article (formerly included in the individual monograph) are general in nature. The information is provided for those who use, prepare, and dispense drugs, solely to indicate descriptive and solubility properties of an article complying with monograph standards. The properties are not in themselves standards or tests for purity even though they may indirectly assist in the preliminary evaluation of the integrity of an article.

Taste and Odor

Organoleptic characteristics are indicated in many instances because they may be useful and descriptive properties of substances. However, they are not meant to be applied as tests for identifying materials.

The inclusion of odor or taste among other descriptive properties may aid in identifying the causative agent following accidental exposure to or contact with a substance. This information is provided as a warning or to make an individual aware of sensations that may be encountered. The use of odor or taste as a test for identification or content is strongly discouraged.

The characteristic odor of a volatile substance becomes apparent immediately on opening a container of it. The odor may be agreeable (e.g., Peppermint Oil), unpleasant (e.g., Sulfur Dioxide), or potentially hazardous on prolonged exposure (e.g., Coal Tar). Moreover, an unexpected odor may be encountered if the characteristics of a substance are not known or if a container is incorrectly labeled. Consequently, containers of such substances should be opened caniously, preferably in a well-ventilated fume hood. A characteristic taste or sensation produced in the oral cavity likewise is apparent if traces of residue materials on fingers are inadvertently brought into contact with the tongue or adjacent mucosal tissues.

Solubility

Only where a special, quantitative solubility test is given in the individual monograph, and is designated by a test heading, is it a test for purity

The approximate solubilities of Pharmacopeial and National Formulary substances are indicated by the descriptive terms in the accompanying table. The term "miscible" as used in this Pharmacopeia pertains to a substance that yields a homogeneous mixture when mixed in any proportion with the designated solvent.

| Descriptive Term | Parts of Solvent Required for 1 Part of Solute |
|--|--|
| Very soluble | Less than 1 |
| Lrecly soluble | From 1 to 10 |
| Soluble | From 10 to 30 |
| Sparingly soluble | From 30 to 100 |
| Slightly soluble | From 100 to 1000 |
| Very slightly soluble | From 1000 to 10,000 |
| Practically insoluble, or Insoluble | 10,000 and over |

Soluble Pharmacopeial and National Formulary articles, when brought into solution, may show traces of physical impurities such as immute tracements of filter paper, fibers, and other particulate

matter, unless limited or excluded by definite tests or other specitications in the individual monographs

Acacia: Is practically odorless and produces a mucilaginous sensation on the tongue. Insoluble in alcohol. Optical rotation varies depending on the source of Acacia. For example, specific rotation values, calculated on the anhydrous basis and determined on a 1.0% (w/v) solution, usually are between - 25° and - 35° for Acacia senegal and between + 35° and + 60° for Acacia seval. NF categors. Emulsitying and/or solubilizing agent, suspending and/or viscosity-increasing agent, tablet binder.

Acebutolol Hydrochloride: White or almost white crystalline powder. Soluble in alcohol and in water; very slightly soluble in acetone and in methylene chloride; practically insoluble in ether. Melts at about 141° to 144°.

Acetaminophen: White, odorless, crystalline powder, having a slightly bitter taste. Soluble in boiling water and in 1 N sodium hydroxide; freely soluble in alcohol.

Acetazolamide: White to faintly yellowish white, crystalline, odorless powder. Very slightly soluble in water; sparingly soluble in practically boiling water; slightly soluble in alcohol.

Acetic Acid: Clear, colorless liquid, having a strong, characteristic odor, and a sharply acid taste. Specific gravity is about 1.045. Miscible with water, with alcohol, and with glycerin. NF category. Aciditying agent, buffering agent.

Glacial Acetic Acid: Clear, colorless liquid, having a pungent, characteristic odor and, when well diluted with water, an acid taste Boils at about 118°. Specific gravity is about 1.05 Miscible with water, with alcohol, and with glycerin. VF category. Aciditying agent

Acetohexamide: White, crystalline, practically odorless powder. Practically insoluble in water and in ether, soluble in pyridine and in dilute solutions of alkali hydroxides; slightly soluble in alcohol and in chlorotorm.

Acetohydroxamic Acid: White, slightly hygroscopic, crystalline powder Melts, after drying at about 80° for 2 to 4 hours, at about 88° Freely soluble in water and in alcohol, very slightly soluble in chlorotorm

Acetone: Transparent, colorless, mobile, volatile liquid, having a characteristic odor. A solution (1 in 2) is neutral to litmus. Miscible with water, with alcohol, with ether, with chlorotorm, and with most volatile oils. NF category. Solvent.

Acetylcholine Chloride: White or off-white crystals or crystalline powder. Very soluble in water, treely soluble in alcohol insoluble in ether. Is decomposed by hot water and by alkalies.

Acetyleysteine: White, crystalline powder, having a slight acetic odor. Freely soluble in water and in alcohol, practically insoluble in chloroform and in other.

Acetyltributyl Citrate: Clear, practically colorless, only liquid. Insoluble in water, freely soluble in alcohol, in isopropyl alcohol, in acetone, and in toluene. VF vategory. Plasticizer

Acetyltriethyl Citrate: Clear, practically colorless, oily liquid insoluble in water, freely soluble in alcohol, in isopropyl alcohol, in acetone, and in toluene, VF eutegory. Plasticizer

Acyclovir: White to off-white, crystalline powder. Melts at temperatures higher than 250°, with decomposition. Slightly soluble in water, soluble in 0.3 N hydrochloric acid, insoluble in alcohol.

Adenine: White crystals or crystalline powder Is odorless and tasteless. Viry slightly soluble in water, sparingly soluble in boiling water, slightly soluble in alcohol, practically insoluble in either and in chlorotom.